

PREMIUM V 5W30

Premium V 5W30 is a fully synthetic, ACEA C3, LOW SAPS, ultra high performance petrol and diesel engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection.

Premium V 5W30 meets most of the top West European diesel engine manufacturer requirements including Mercedes Benz, VW and BMW.

It supports increased oil change intervals, reduces oil consumption and exhaust emissions, whilst delivering fuel economical benefits through effective friction reduction and load improvement agents.

Advanced additives and a high viscosity index provide excellent thermal stability, low temperature soot dispersancy and outstanding high temperature protection.

It is specifically designed for use in high performance turbo and non turbo petrol and diesel engines.

Premium V 5W30 can be used in the most advanced European, American and Japanese model car and small vehicle engines.

Premium V 5W30 meets or is recommended for use in the following demanding performance requirements:

API SN/CF
ACEA - C3
MB 229.31, 229.51
BMW LL-04
Porsche C30
VW 504.00, 507.00

Benefits

- Formulated for stop – start driving conditions
- Provides high performance in very long drain intervals
- Protects Diesel Particulate Filters (DPFs), turbo and multivalve engines.
- Protects sensitive exhaust gas treatment systems
- Smooth operation for all high performance engines with superior high temperature protection
- Exceeds requirements for petrol, diesel and LP Gas engines
- Reduces carbon deposit build up
- Protects engines against rust and corrosion under severe operating conditions

TYPICAL CHARACTERISTICS

Properties	Unit	Value
SAE Viscosity Grade		5W30
Density, kg/lit @ 15 °C		0.85
Viscosity @ 40°C	cSt	68.0
Viscosity @ 100°C	cSt	12.0
Viscosity Index		170
Flash Point ° C		>220
Pour Point ° C		-40
TBN	Mg KOH/g	5.8
Sulphated Ash content	%	0.60
Phosphorous Content	% wt	0.075
Sulphur Content	% wt	0.20

Package Sizes

1000 litre
205 litre
20 litre
5 litre